



D	CHANGE LOCATION OF END POCKETS ON -1/-3/-5 (ZN D1-2, D8-2, B7-3, B2-3, D1-4, D8-4). SPLIT POCKETS INTO TWO SEPARATE POCKETS (ZN A2-2). ADD POCKET TO -1 (ZN D6-2).	DC	12.08.21
C	0.25 WAS 0.20 AND 0.130 WAS 0.080 (ZN B2-2, B1-2, B1-3, D8-4); ADD MISSING DIMENSIONS (ZN C5-3); ADD D3901-1F/-5F FLAT PATTERN	RF	12.01.24
B	REMOVE $\varnothing$ 0.188 HOLES FROM D3901-1/-3/-5; 62.12 WAS 62.61 (ZN C4-3)	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DC		
CHECKED	RF	DRAWING NO. D3901 REV. D SHEET 1 OF 4	
MFG. APPR.	RF		
APPROVED	RF	TITLE BAR SCALE NTS	
DE APPR.	RF		
DATE	12.08.21	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	






**D3901-3 BAR**

**RELEASED**  
2012-09-04

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL BAR, 0.250 THICK X 0.500 WIDTH  
PER ASTM A276 OR ASTM A240  
REF. DART SPEC. M304B0.250X0.500
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 2.21 lbs

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	DC		
CHECKED	DE	DRAWING NO.	REV. D
MFG. APPR.	7/1	D3901	SHEET 3 OF 4
APPROVED	140	TITLE	SCALE
DE APPR.	14	BAR	NTS
DATE	12.08.21	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



**D3901-5F BAR FLAT PATTERN**

**D3901-5 BAR**  
(MAKE FROM D3901-5F)

**RELEASED**  
2012-09-04

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL BAR, 0.250 THICK X 0.500 WIDTH  
PER ASTM A276 OR ASTM A240  
REF. DART SPEC. M304B0.250X0.500
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 2.63 lbs
  - 8) FORM TO FIT WEARPLATE

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	DC		
CHECKED	SE	DRAWING NO.	REV. D
MFG. APPR.	2/1	D3901	SHEET 4 OF 4
APPROVED	MP	TITLE	SCALE
DE APPR.	TH	BAR	NTS
DATE	12.08.21	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	